

**Notice of Allowability**

Application No.

09/690,473

Examiner

Michael J. Hayes

Applicant(s)

HAARALA ET AL.

Art Unit

3767

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to BPAI decision of 6/7/05.
2. ☒ The allowed claim(s) is/are 60,61,63-68,70-72,74-79,113 and 114.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Michael J Hayes  
Primary Examiner  
Art Unit: 3767

***Claims Allowable***

Claims 60, 61, 63-68, 70-72, 74-79, 113, and 114 are allowed in view of BPAI decision, paper 9/19/05.


***Reasons for Allowance***

Claims 60, 61, 63-68, 70-72, 74-79, 113, and 114 are allowed because the recited combination of elements of an access port to be implanted comprising a body portion having upper and lower attachable body parts with a self-sealing septum between, forming a reservoir, a reservoir outlet, with an entry site on the body portion disposed opposite the outlet and configured to permit insertion of a guidewire or stylet through the body portion and into the outlet where the septum exterior forms a portion of the exterior surface of the device (claim 60) or with an entry site and access site configured to permit access to the reservoir where an outer surface of the septum forms a portion of the exterior of the surface of the device is not found nor fairly taught in the prior art of record. See BPAI decision, paper 9/19/05.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Hayes at (571) 272-4959. The examiner can usually be reached Monday -Thursday, 7:00-4:30, and on alternate Fridays. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Sirmons, can be contacted at (571) 272-4965. The fax number for submitting official papers is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

mjh  
17 October 2005

  
**MICHAEL J. HAYES**  
**PRIMARY EXAMINER**